RECEIVED CENTRAL FAX CENTER MAR 0 & 2008

Application No.: 10/698,820

Docket No.: MWS-062RCE

## AMENDMENTS TO THE CLAIMS

	(currently amended) in an electronic device having a graphical modeling and execution
	environment, said graphical modeling and execution environment including at least one
	graphical model, a method comprising the steps of:
	providing an automatic code generator to create source code that implements
	functionality of said graphical model and that corresponds to data referenced by said graphical
	model;
	specifying a first manner in which said automatic code generator creates said source
9	code;

providing a user interface with a plurality of selectable parameters for a custom storage. class, said custom storage class specifying the a second manner in which saiden automatic code generator creates source code that implements functionality of said graphical model, including source code corresponding to said data referenced by said graphical model in said graphical modeling and execution environment, said second manner differing from said first manner; and

creating-a said custom storage class in said graphical modeling and execution environment utilizing parameters selected by a user from said plurality of selectable parameters.

- 2. (currently amended) The method of claim 1, comprising the further step of: providing a view of salient aspects of the said source code generated by said automatic code generator utilizing the user-selected parameters.
- 3. (currently amended) The method of claim 2, comprising the further steps of:

  changing the said user—selected parameters for said custom storage class in said user interface; and

adjusting the said source code generated by said automatic code generator to reflect the said change in said user—selected parameters.

4. (currently amended) The method of claim 3, comprising the further step of:

displaying salient aspects of the said adjusted source code in said view of salient aspects of the said source code.

Docket No.: MWS-062RCE

- 5. (currently amended) The method of claim 2, wherein said view of salient aspects of the said source code automatically generated includes at least one token, said token being symbolically representative of a non-displayed segment of said source code.
- 6. (previously presented) The method of claim 1, wherein said custom storage class declares macros for instances of constant data.
- 7. (previously presented) The method of claim 1, wherein said custom storage class declares variables for instances of constant data.
- 8. (previously presented) The method of claim 1, wherein said user-selected parameters control at least one of the manner in which automatically generated source code is defined, declared, accessed and addressed.
- 9. (previously presented) The method of claim 1, wherein said user-selected parameter includes a non-portable directive to a compiler.
- 10. (previously presented) The method of claim 9, wherein said non-portable directive to a compiler assigns data to at least one memory location in said electronic device.
- 11. (currently amended) The method of claim 1, comprising the further step of:

  creating a separate header file with said automatic code generator in response to the said selection of one of said plurality of user-selected parameters.
- 12. (currently amended) An electronic device having a modeling and execution environment with at least one graphical model, said electronic device comprising:

a processor for:

executing an automatic code generator to create source code that implements functionality of said graphical model and that corresponds to data referenced by said graphical model;

specifying a first manner in which said automatic code generator creates said source code; and

Docket No.: MWS-062RCE

creating a custom storage class in said modeling and execution environment, said custom storage class created utilizing parameters selected by a user from a plurality of selectable parameters; and

a display device for:

displaying a user interface with a said plurality of selectable parameters for a said custom storage class specifying the a second manner in which an said automatic code generator creates source code that implements functionality of said graphical model source code corresponding to said data referenced by said graphical model, said second manner differing from said first manner; and

displaying a view of salient aspects of the said source code generated by said automatic code generator utilizing the said user-selected parameters, and a processor for creating a custom storage class in said graphical modeling and execution environment, said custom storage class created utilizing parameters selected by a user from said plurality of selectable parameters.

- 13. (currently amended) The electronic device of claim 12, wherein <u>said</u>the-user—selected parameters for said custom storage class in said user interface are changed and <u>the said</u> source code generated by said automatic code generator is adjusted to reflect the <u>said</u> change in user—selected parameters.
- 14. (currently amended) The electronic device of claim 13, wherein the said adjusted source code is displayed in said view of salient aspects of the said source code.
- 15. (currently amended) The electronic device of claim 12, wherein said view of salient aspects of the <u>said</u> source code includes at least one token, said token being symbolically representative of a non-displayed segment of code.
- 16. (currently amended) A computer-readable medium for use in an electronic device having a graphical modeling and execution environment, said graphical modeling and execution environment including at least one graphical model, said computer-readable medium storing computer-executable instructions for:

Docket No.: MWS-062RCE

providing an automatic code generator to create source code that implements functionality of said graphical model and that corresponds to data referenced by said graphical model;

specifying a first manner in which said automatic code generator creates said source code;

providing a user interface with a plurality of selectable parameters for a custom storage class, said custom storage class specifying the a second manner in which an said automatic code generator creates course code that implements functionality of said graphical model, including source code corresponding to said data referenced by said graphical model in said graphical modeling and execution environment, said second manner differing from said first manner; and

creating-a said custom storage class in said graphical modeling and execution environment utilizing parameters selected by a user from said plurality of selectable parameters.

17. (currently amended) The computer-readable medium of claim 16, wherein said method comprises the further step of:

providing a view of salient aspects of the said source code generated by said automatic code generator utilizing the said user-selected parameters.

18. (currently amended) The computer-readable medium of claim 17, wherein said method comprises the further steps of:

changing the <u>said</u> user—selected parameters for said custom storage class in said user interface; and

adjusting the said source code generated by said automatic code generator to reflect the said change in user—selected parameters.

19. (currently amended) The computer-readable medium of claim 18, wherein said method comprises the further step of:

displaying the said adjusted source code in said view of salient aspects of the said source code.

Docket No.: MWS-062RCE

- 20. (currently amended) The computer-readable medium of claim 17, wherein said view of salient aspects of the said source code automatically generated includes at least one token, said token being symbolically representative of a non-displayed segment of said source code.
- 21. (previously presented) The computer-readable medium of claim 16, wherein said custom storage class declares macros for instances of constant data.
- 22. (previously presented) The computer-readable medium of claim 16, wherein said custom storage class declares variables for instances of constant data.
- 23. (currently amended) The computer-readable medium of claim 16, wherein said user-selected parameters control at least one of the a manner in which automatically generated source code is defined, declared, accessed and addressed.
- 24. (previously presented) The computer-readable medium of claim 16, wherein said user-selected parameter includes a non-portable directive to a compiler.
- 25. (previously presented) The computer-readable medium of claim 24, wherein said non-portable directive to a compiler assigns data to at least one memory location in said electronic device.
- 26. (currently amended) The computer-readable medium of claim 16, wherein said method comprises the further step of:

creating a separate header file with said automatic code generator in response to the said selection of one of said plurality of user-selected parameters.